## Lookalike Insects

(and how to properly identify them)
By Isaac Fox



## Wasp & Fly






#### **Fly**

- Antennae typically inconspicuous
- One pair of wings



#### Wasp

- Antennae typically conspicuous
- Two pairs of wings



## Hemiptera & Coleoptera





#### **True Bug**

- Piercing/sucking mouthparts
- Forewings subdivided and overlap at the tip



#### **Beetle**

- Chewing mouthparts
- Forewings leathery and typically meet in a straight line down the back



## **Butterfly & Moth**



#### Moth

- More robust body
- Feathered antennae



#### Butterfly

- Narrower body
- Clubbed antennae



## **Ground & Stag Beetles**





#### **Ground Beetle**

• Filiform (threadlike) antennae



#### **Stag Beetle**

• Elbowed and clubbed antennae



## **Antlion & Damselfly**





#### **Damselfly**

• Inconspicuous antennae



#### Antlion

• Antennae conspicuous



## Damselfly & Dragonfly





#### **Dragonfly**

- Usually larger and more robust
- Rests with wings spread



#### **Damselfly**

- Usually smaller and more slender
- Rests with wings above the body



# **Mimicry complexes**



Mimic
Viceroy (*Limenitis archippus*)
Black crossband on the hindwings



Real
Monarch (Danaus plexippus)
No crossband



### Water Scavenger & Predacious Diving Beetles





#### **Predacious Diving Beetle**

- Filiform antennae
- Inconspicuous mouthparts
- Underside not flat



#### **Water Scavenger Beetle**

- Clubbed antennae
- Conspicuous maxillary palps
- Underside flat (sometimes with a spinelike keel)



## **Earth-boring & Scarab Beetles**





# Splendid Earth-boring Beetle (Geotrupes splendidus)

• 11 antennae segments



## Splendid Dung Beetle (*Phanaeus vindex*)

• 9 antennae sements



### True Weevil & Fungus Weevil





#### **Fungus Weevil**

• Antennae not elbowed



#### **True Weevil**

Antennae elbowed



## Firefly & Soldier Beetle





#### **Firefly**

- Head usually hidden under the pronotum
- Most with a light-producing organ at the tip of the abdomen



#### **Soldier Beetle**

- Head not hidden by the pronotum
- Never with a light-producing organ on the abdomen



### **Bostrichid & Bark Beetles**





#### **Bostrichid Beetle**

Antenna club loose




#### **Bark or Ambrosia Beetle**

• Antenna club compact



### Cuckoo Wasp & Sweat Bee






#### **Cuckoo Wasp**

- Heavily punctured
- Setae usually inconspicuous



#### **Sweat Bee**

- Typically not as heavily punctured
- Setae usually obvious



### References

- Bugguide.net
- Beetles of Eastern North America -- Arthur V. Evans